

2nd QUARTER TRANSPORTATION REPORT FY 2014

Radioactive Waste Shipments
To and From the Nevada National Security Site (NNSS)

July 2014



United States Department of Energy,
National Nuclear Security Administration
Nevada Field Office
Las Vegas, Nevada

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof.

Available for sale to the public, in paper, from:

U.S. Department of Commerce National Technical Information Service 5301 Shawnee Road Alexandria, VA 22312 Phone: 800.553.6847

Fax: 703.605.6900 E-mail: orders@ntis.gov

Online Ordering: http://www.ntis.gov/help/ordermethods.aspx

Available electronically at http://www.osti.gov/bridge


Available for a processing fee to the U.S. Department of Energy and its contractors, in paper, from:

U.S. Department of Energy Office of Scientific and Technical Information P.O. Box 62 Oak Ridge, TN 37831-0062 Phone: 865.576.8401

Fax: 865.576.5728

Table of Contents

1.0	INTRODUCTION	1
2.0	SUMMARY OF RADIOACTIVE WASTE SHIPMENTS AND VOLUMES	
DISP	OSED	1
2.1	Waste Transporters (Motor Carriers)	3
2.2	Shipments	4
2.3	Transportation Route Reporting	5
3.0	INCIDENT/ACCIDENT DATA	8
4.0	EVALUATION OF SHIPPING CAMPAIGNS	8
5.0	REFERENCES	9
6.0	POINTS OF CONTACT	9
7.0	ACRONYM LIST	10
8.0	DISTRIBUTION LIST	10



1.0 INTRODUCTION

This report satisfies the U.S. Department of Energy (DOE), National Nuclear Security Administration Nevada Field Office (NNSA/NFO) commitment to prepare a quarterly summary report of radioactive waste shipments to the Nevada National Security Site (NNSS) Radioactive Waste Management Complex (RWMC) at Area 5. There were no shipments sent for offsite treatment and returned to the NNSS this quarter. This report summarizes the second quarter of fiscal year (FY) 2014 low-level radioactive waste (LLW) and mixed low-level radioactive waste (MLLW) shipments. This report also includes annual summaries for FY 2014 in Tables 4 and 5.

Tabular summaries are provided which include the following:
Sources of and carriers for LLW and MLLW shipments to and from the NNSS;
Number and external volume of LLW and MLLW shipments;
Highway routes used by carriers; and
Incident/accident data applicable to LLW and MLLW shipments.

In this report shipments are accounted for upon arrival at the NNSS, while disposal volumes are accounted for upon waste burial. The disposal volumes presented in this report do not include minor volumes of non-radioactive materials that were approved for disposal. Volume reports showing cubic feet (ft³) generated using the Low-Level Waste Information System may vary slightly due to differing rounding conventions.

2.0 SUMMARY OF RADIOACTIVE WASTE SHIPMENTS AND VOLUMES DISPOSED

Total LLW and MLLW Received from Off-site Generators

A total of 299,170 ft³ of LLW and MLLW was disposed at the NNSS by 15 approved radioactive waste generators in 327 shipments. These shipments were transported using 13 approved motor carriers (including government vehicles).

Total NNSS On-site LLW/MLLW

One approved NNSS on-site radioactive waste generator disposed 29 ft³ of LLW in four on-site transfers. Government vehicles were used for these transfers.

There were four non-radioactive shipments in the second quarter of FY 2014 for a total volume of 2,768 ft³.

Table 1 provides a summary of inbound (off-site and on-site) and outbound shipments. Table 2 provides a list of approved waste generators that shipped to/on the NNSS in the second quarter of FY 2014. These totals do not include non-radioactive shipments.

Table 1. NNSS Inbound, On-site and Outbound Shipments Summary for 2nd Quarter of FY 2014

Inbound	Off-site Generators	NNSS Generators	Approved Carriers	Shipments	Volume ft ³
LLW / MLLW (off-site)	14	1	14	327	299,170
LLW / MLLW (on-site)	0	1	1	4	29

Table 2. Approved Generators Shipping To/On the NNSS in 2nd Quarter of FY 2014

	APPROVED GENERATOR, STATE	GENERATOR CODE
1	ADVANCED MIXED WASTE TREATMENT PROJECT, ID	AM
2	ARGONNE NATIONAL LABORATORY, IL	AE
3	BABCOX & WILCOX TECHNICAL SERVICES Y-12, TN	BW
4	BATTELLE ENERGY ALLIANCE, ID	NE
5	BROOKHAVEN NATIONAL LABORATORY, NY	BR
6	IDAHO NATIONAL LABORATORY, ID	IN
7	LAWRENCE LIVERMORE NATIONAL LABORATORY, CA	LL
8	NATIONAL SECURITY TECHNOLOGIES LLC, NV	LR
9	NUCLEAR FUEL SERVICES, TN	NF
10	OAK RIDGE RESERVATION, TN	OR
11	PADUCAH GASEOUS DIFFUSION PLANT, KY	PD
12	PERMA-FIX (M&EC), TN, WA, CA	PF
13	PORTSMOUTH GASEOUS DIFFUSION PLANT, OH	PO
14	SANDIA NATIONAL LABORATORIES, NM	SA
15	WASTREN ADVANTAGE INC., TN	FW

2.1 Waste Transporters (Motor Carriers)

Motor carriers operate in compliance with Title 49 Code of Federal Regulations (CFR), "Transportation," and are selected by the waste generator. Generators often use multiple motor carriers during the year to facilitate their shipments. Table 3 provides a list of the approved carriers used to transport LLW and MLLW shipments to the NNSS. Government trucks were used for on-site transfers of LLW.

26 shipments bound for the NNSS were transported via intermodal (rail/highway) conveyance, also referred to as transloading.

Table 3. Approved Motor Carriers Used in 2nd Quarter of FY 2014

	APPROVED MOTOR CARRIER	CARRIER CODE
1	AJ METLER	MAJH
2	BOYLE TRANSPORTATION	BYLE
3	CAST TRANSPORTATION	COLO
4	FLUID TRANSPORTS	FLAI
5	GOVERNMENT VEHICLE	GT+
6	HITTMAN TRANSPORT	HITT
7	HUBBARD TRUCKING	HTAL
8	INTERSTATE VENTURES	ITSV
9	LANDSTAR RANGER	LRGR
10	RSB LOGISTICS	RSBI
11	SLT EXTRESS WAY	SLTW
12	TRANSPORTATION, OPERATIONS & PROFESSIONAL SERVICES, INC.	TOPS
13	TRI-STATE MOTOR TRANSIT	TSMT

2.2 Shipments

Table 4 provides a summary of all LLW and MLLW <u>off-site shipments</u> received at NNSS in FY 2014. Table 5 provides a summary of all NNSS <u>on-site transfers</u> of LLW and MLLW in FY 2014 broken down by quarter.

Table 4. Off-Site Shipments of LLW and MLLW Transported to NNSS in FY 2014

Off-Site Inbound Shipments	Shipments by Quarter								
Generator, State	1st	2nd	3rd	4th	Total				
ABERDEEN PROVING GROUND, MD	0	0			0				
ADVANCED MIXED WASTE TREATMENT									
PROJECT, ID	15	20			35				
ARGONNE NATIONAL LABORATORY, IL	1	3			4				
BABCOX & WILCOX TECHNICAL SERVICES Y-12, TN	21	32			53				
BATTELLE ENERGY ALLIANCE, ID	2	5			7				
BROOKHAVEN NATIONAL LABORATORY, NY	0	1			1				
CH2M HILL B&W WEST VALLEY, NY	0	0			0				
DURATEK/ENERGYSOLUTIONS, TN	1	0			1				
GENERAL ATOMICS, CA	0	0			0				
IDAHO NATIONAL LABORATORY, ID	6	3			9				
LAWRENCE LIVERMORE NATIONAL LABORATORY, CA	8	6			14				
LOS ALAMOS NATIONAL LABORATORY, NM	2	0			2				
NATIONAL SECURITY TECHNOLOGIES LLC, NV	0	1			1				
NUCLEAR FUEL SERVICES, TN	18	41			59				
OAK RIDGE RESERVATION, TN	33	86			119				
PADUCAH GASEOUS DIFFUSION PLANT, KY	9	4			13				
PANTEX PLANT, TX	0	0			0				
PERMAFIX (M&EC), TN, WA, CA	21	12			33				
PORTSMOUTH GASEOUS DIFFUSION PLANT, OH	74	99			173				
SANDIA NATIONAL LABORATORIES, NM	4	2			6				
SAVANNAH RIVER SITE, SC	1	0			1				
UT-BATTELLE/OAK RIDGE NATIONAL LABORATORY, TN	1	0			1				
WASTREN ADVANTAGE INC., TN	5	12			17				
Total Shipments	222	327			549				

Table 5. NNSS On-Site Transfers of LLW and MLLW in FY 2014

On-site Transfers	Shipments by Quarter										Shipments by Quarter							
Generator, State	1st	2nd	3rd	4th	Total													
National Security Technologies LLC, NV	0	4			4													
Navarro-Intera, LLC, NV	2	0			2													
Total	2	4			6													

2.3 Transportation Route Reporting

As a result of obligations made by former DOE Secretary Richardson, NNSS inbound radioactive waste shipments through the Las Vegas I-15 and US-95 Interchange (Spaghetti Bowl) have essentially ceased since FY 2000.

The NNSA/NFO continues to engage in discussions with radioactive waste generators regarding avoiding the Las Vegas Metropolitan Area. The NNSS Waste Acceptance Criteria includes wording requiring generators to notify their carriers to avoid this area.

Due to the events of September 11, 2001, tractor trailers continue to be restricted from travel near the Hoover Dam. Radioactive waste transportation to the NNSS, regardless of U.S. Department of Transportation classification, shall avoid the O'Callaghan-Tillman Memorial Bridge (i.e., Hoover Dam Bypass Bridge).

Through the second quarter of FY 2014, there have been no shipments transported through the Spaghetti Bowl or the O'Callaghan-Tillman Memorial Bridge.

The NNSA/NFO posts current and historical transporter route reports on the Internet at http://www.nv.energy.gov/emprograms/transportationreports.aspx

The following two pages provide details and a graphic depiction of radioactive waste shipment routes traveled to the NNSS from January 1, 2014 to March 31, 2014.

LOW-LEVEL & MIXED LOW-LEVEL RADIOACTIVE WASTE SHIPMENTS TO THE NEVADA NATIONAL SECURITY SITE																		
	SECOND QUARTER REPORT, FY 2014 (JANUARY, FEBRUARY, MARCH 2014)																	
			Origin State>>	CA	ID	ID	ID	IL	KY	NM	NV	NY	ОН	TN	TN, WA, CA	TN	TN	TN
RouteType	Route Description	Route Legend	Total Shipments by Route	Lawrence Livermore National Laboratory	Batelle Energy Alliance	Idaho National Laboratory	Advanced Mixed Waste Treatment Project	Argonne National Laboratory	Paducah Gaseous Diffusion Plant	Sandia National Laboratory	National Security Technologies, LLC	Brookhaven National Laboratory	Portsmouth Gaseous Diffusion Plant	Babcox & Wilcox Technical Services Y-12 Plant	Materials & Energy Corporation (M&EC) Perma-Fix	Nuclear Fuels Services	Wastren Advantage, Inc.	Oakridge Reservation
	I-15, CA-127, NV-373, US-95		4	4				_							<u> </u>		_	_
	I-15, CA-127, CA-178, NV-372, NV-160, US-95		1	1				_							\vdash	\vdash	 	
SOUTHERN	I-40, US-93, AZ-68, NV-163, US-95, NV-164, I-15, NV- 160, US-95		144	1									86	4		4	1	48
SOUTHERN	I-40, US-95, NV-164, I-15, NV-160, US-95		145						4	2			13	28	12	37	11	38
NORTHERN	I-80, US-93-ALT, US-6, US-95		10		3	2	1	3			1							
NORTHERN	US-50, US-6/50, US-6, US-95		1									1						
NORTHERN	US-93, US-6, US-95		22		2	1	19											
Total Shipments by Generator>>>		327	6	5	3	20	3	4	2	1	1	99	32	12	41	12	86	
Total Volume (ft³) by Generator>>>		299,170	11,344	4,108	2,450	13,112	2,259	8,151	1,467	164	502	90,405	49,515	7,154	20,023	13,498	75,017	

^{*}There were 26 transloaded or intermodal shipments this quarter



3.0 INCIDENT/ACCIDENT DATA

For the purpose of this report, an incident is defined as a traffic-related accident, a load shift, or a reported leaking/breached package which occurs during transportation of LLW or MLLW. There were no transportation incidents in the second quarter of FY 2014.

Radioactive waste generators are instructed to notify the NNSA/NFO Assistant Manager of Environmental Management whenever a discrepancy, non-compliance, or inadequate performance is identified; or if a transportation incident or emergency situation occurs.

NSTec, a contractor to the NNSA/NFO, controls NNSS radioactive waste receipt and disposal activities and is responsible for notifying appropriate personnel regarding any non-compliant or refused shipments. NSTec personnel also immediately notify generators of any shipping discrepancies.

4.0 EVALUATION OF SHIPPING CAMPAIGNS

This section contains an evaluation summary of shipping campaigns with respect to the significance of the packaging or transportation incidents reported in Section 3.0. Waste generators must ensure that waste is packaged and transported in a safe and compliant manner as detailed in the NNSS Waste Acceptance Criteria (WAC) and U. S. Department of Transportation regulations. Generators and their contracted shipping carriers must be diligent with regard to all requirements including packaging, routing, and shipping documentation.

The NNSS Radioactive Waste Acceptance Program (RWAP) provides oversight of NNSS waste generators for compliance with Department of Transportation regulations and the NNSS Waste Acceptance Criteria including Section 6.0, Waste Transportation and Receipt Information. All generator performance anomalies are tracked and trended for deficient conditions.

Corrective Action Requests are issued by RWAP personnel to identify, track, and resolve deficiencies that violate the NNSSWAC and/or Department of Transportation requirements. Observations are also issued by RWAP personnel for conditions that represent a weakness in a waste generator's quality assurance or waste certification program that if left uncorrected could result in a condition adverse to quality.

All waste generators performed adequately in this reporting period. There were no transportation incidents in the second quarter of FY 2014.

5.0 REFERENCES

Shipment information is recorded at the NNSS Area 5 Radioactive Waste Management Site by NSTec Waste Management Program personnel. These records provide detailed information on each LLW and MLLW shipment, including the date received, generator, package number and type, volume, weight, carrier, and final disposition. In addition, incident and accident information is collected from NSTec and NNSA/NFO correspondence and personal communications with NNSA/NFO managers, NSTec personnel, waste generators, and carrier personnel. Route information is collected from the NNSA/NFO quarterly routing reports published by NNSA/NFO.

The following source documents are incorporated by reference:

- U.S. Department of Energy, Nevada Operations Office, "Mitigation Action Plan - Final Environmental Impact Statement for the Nevada Test Site and Off-Site Locations in the State of Nevada" DOE/EIS 0243, Las Vegas, Nevada, February 1997.
- U.S. Department of Transportation Regulations, 49 CFR, "Transportation,"
 Code of Federal Regulations, Office of the Federal Register, National
 Archives and Records Administration, U.S. Government Printing Office,
 Washington, DC, 2012.

6.0 POINTS OF CONTACT

Please contact the following personnel with questions regarding radioactive waste transportation, waste management, or NNSA/NFO operations.

Nohemi Brewer, Transportation Program Manager U.S. Department of Energy,
National Nuclear Security Administration
Nevada Field Office
Environmental Management Operations
P.O. Box 98518
Las Vegas, NV 89193-8518
(702) 295-4800

7.0 ACRONYM LIST

ft³ Cubic Feet

CFR Code of Federal Regulations
DOE U.S. Department of Energy

FY Fiscal Year

LLW Low-Level Radioactive Waste

MLLW Mixed Low-Level Radioactive Waste

NNSA/NFO National Nuclear Security Administration Nevada Field Office

NSTec National Security Technologies, LLC

NNSS Nevada National Security Site

RWAP Radioactive Waste Acceptance Program RWMS Radioactive Waste Management Site

8.0 DISTRIBUTION LIST

U.S. Department of Energy, National Nuclear Security Administration Nevada Field Office Public Reading Facility c/o Nuclear Testing Archive P.O. Box 98521 Las Vegas, NV 89193-8521

U.S. Department of Energy Office of Scientific and Technical Information P.O. Box 62 Oak Ridge, TN 37831-0062